



جمهوری اسلامی ایران

وزارت امور اقتصادی و دارائی

گمرک ایران

بسمه تعالی

۱۳۸۹ / ۴ / ۱۵

۷۹۸۵۷ / ۲۴ / ۲۰۵ / ۴۱۷۷ / ۱۴۷

به: ناظرین / مدیران کل / مدیران محترم گمرکات اجرائی

از: دفتر تعیین ارزش

موضوع: ارسال پرایس لیست ماشین آلات راهسازی هیوندای سال ۲۰۱۰

با سلام

احتراماً، در اجرای تبصره ۶ قانون خودرو و براساس مفاد صورتجلسه شماره ۴۰۰ مورخ ۸/۴/۸۹ کمیته مشترک گمرک و وزارت صنایع و معادن به پیوست ۲ برگ پرایس لیست ماشین آلات راهسازی هیوندای سال ۲۰۱۰ ساخت کره جنوبی به نمایندگی شرکت پارس لودر ارسال میگردد. مقتضی است دستور فرمایند ارزشگذاری ماشین آلات راهسازی وارداتی مربوطه باتوجه به ارزشهای اعلام شده با در نظر گرفتن کرایه حمل و بیمه انجام گیرد. ذ/۱۲/۴

رسول کوهستانی پزوه

مدیر کل دفتر تعیین ارزش

۸۹/۴/۱۳

« نامه های صادره بدون مهر برجسته فاقد اعتبار است »

آدرس: تهران - خیابان شهید بهشتی - ساختمان شماره ۲ گمرک ایران - طبقه سوم

تلفن: ۳۰ - ۸۸۵۰۱۴۲۵ نمابر: ۸۸۷۳۵۷۵۹ پست الکترونیک: g.d.v.t@irica.org

PRICE LIST (PLC) of year 2010

- 1) Payment : Irrevocable L/C at Sight opened by 1st class bank or T/T payment
 2) Transport : Ocean freight
 3) Packing : Export standard packing
 4) Warranty : 1 year from the date of delivery to the initial users or 1,500 hours of operations or 15 months from the date of Distributor's receiving inspection, whichever comes first.
 5) Inspection : Manufacturer's inspection to be final
 6) Shipment : Within 3.0 months from the date of L/C receipt or T/T payment, subject to vessel availability
 7) Validity : **September 30, 2010 on the basis of shipment date**
 8) Price : Base on USD
 9) Other : Ocean Freight is subject to change in case of any increase from shipping company

1. CRAWLER EXCAVATOR


2010-04-01

MODEL	CBM	MAJOR SPECIFICATION					OPTION	OCEAN FREIGHT	FOB	OPTION PRICE	CFR B/A (USD)
		OPERATING WEIGHT (KG)	BUCKET (M3) (SAE)	BOOM (M)	ARM (M)	SHOE (MM)					
R55-7	28.6	5,370	0.18	2.90	1.60	400	Breaker Line	2,202	37,103	547	39,852
R110-7	50.686	11,200	0.45	4.30	2.26	500	Breaker Line	3,903	58,100	2,035	64,038
R140LC-7	57.190	14,000	0.58	4.60	2.50	600	Breaker Line	4,404	59,257	1,998	65,659
R140LC-7A	57.190	14,000	0.58	4.60	2.50	600	Breaker Line	4,404	61,506	1,998	67,908
R160LC-7	64.639	16,600	0.65	5.10	2.60	600	Breaker Line	4,977	64,106	2,141	71,224
R160LC-7A	64.639	16,600	0.65	5.10	2.60	600	Breaker Line	4,977	66,354	2,141	73,472
R180LC-7	67.436	18,260	0.70	5.20	2.60	600	Breaker Line	5,193	66,185	2,141	73,519
R180LC-7A	67.436	18,260	0.70	5.20	2.60	600	Breaker Line	5,193	68,434	2,141	75,768
R210LC-7	85.110	21,700	0.92	5.68	2.92	600	Breaker Line	6,553	72,447	2,517	81,517
R210LC-7A	85.110	21,700	0.92	5.68	2.92	600	Breaker Line	6,553	74,650	2,517	83,720
R210LC-7H	85.110	21,700	0.92	5.68	2.92	600	Breaker Line	6,553	69,089	2,517	78,159
R220LC-7H	85.110	21,700	0.92	5.68	2.92	600	Breaker Line	6,553	69,089	2,517	78,159
R210LC-7 L/R	117.981	24,500	0.52	8.20	6.30	800	-	9,085	82,297		91,382
R210LC-7A L/R	117.981	24,500	0.52	8.20	6.30	800	-	9,085	84,545		93,630
R250LC-7	101.577	25,200	1.08	5.85	3.05	600	Breaker Line	7,821	80,493	2,831	91,145
R250LC-7A	101.577	25,200	1.08	5.85	3.05	600	Breaker Line	7,821	82,741	2,831	93,393
R290LC-7A	110.828	29,300	1.27	6.25	3.05	600	Breaker Line	8,534	95,555	3,040	107,129
R290LC-7A L/R	175.619	32,860	0.52	10.20	7.85	800	-	13,523	105,127		118,650
R305LC-7	111.176	29,400	1.38	6.25	3.05	600	Breaker Line	8,561	95,118	3,040	106,719
R320LC-7	121.840	32,200	1.44	6.45	3.20	600	Breaker Line	9,382	97,827	3,040	110,249
R320LC-7A	121.840	32,200	1.44	6.45	3.20	600	Breaker Line	9,382	99,054	3,040	111,476
R360LC-7A	127.764	36,500	1.62	6.50	3.20	600	Breaker Line	9,838	120,534	3,227	133,599
R450LC-7	144.288	44,900	2.15	7.06	3.38	600	Breaker Line	11,110	144,083	3,970	159,163
R450LC-7A	144.288	44,900	2.15	7.06	3.38	600	Breaker Line	11,110	145,309	3,970	160,389
R450LC-7 L/R	237.768	47,840	1.65	9.00	5.85	600	-	18,308	156,725		175,033
R450LC-7A L/R	237.768	47,840	1.65	9.00	5.85	600	-	18,308	158,974		177,282
R500LC-7	146.848	48,800	2.15	7.06	3.38	600	Breaker Line	11,307	161,711	3,970	176,988
R500LC-7A	146.848	48,800	2.15	7.06	3.38	600	Breaker Line	11,307	163,959	3,970	179,236
R500LC-7 S/ Long	234.409	50,770	1.65	9.00	5.85	600	-	18,049	168,158		186,207
R500LC-7A S/ Long	234.409	50,770	1.65	9.00	5.85	600	-	18,049	170,406		188,455
R500LC-7 L/R	255.637	52,800	1.65	10.00	6.85	600	-	19,684	172,904		192,588
R500LC-7A L/R	255.637	52,800	1.65	10.00	6.85	600	-	19,684	175,152		194,836
R800LC-7A	277.300	82,320	4.53	7.20	2.95	700	-	21,352	408,821		430,173

Name: K.S. Min
 Title: Chairman
 Hyundai Heavy Industries Co.

کمیته تبصره ۶ قانون خودرو
 شماره صورتجلسه: ۴۰۰

تاریخ: ۱۳۸۹، ۴، ۸



11 JUN 2010

Team Manager
LEE HO-SANG

100667

PRICE LIST (PLC) of year 2010



- 1) Payment : Irrevocable L/C at Sight opened by 1st class bank or T/T payment
 2) Transport : Ocean freight
 3) Packing : Export standard packing
 4) Warranty : 1 year from the date of delivery to the initial users or 1,500 hours of operations or 15 months from the date of Distributor's receiving inspection, whichever comes first.
 5) Inspection : Manufacturer's inspection to be final
 6) Shipment : Within 3.0 months from the date of L/C receipt or T/T payment, subject to vessel availability
 7) Validity : **September 30, 2010 on the basis of shipment date**
 8) Price : Base on USD
 9) Other : Ocean Freight is subject to change in case of any increase from shipping company

2. WHEEL TYPE EXCAVATOR

	CBM	MAJOR SPECIFICATION					OPTION	OCEAN FREIGHT	FOB	OPTION PRICE	CFR B/A (USD)
		OPERATING WEIGHT(KG)	BUCKET (M3) (PCSA/CECE)	BOOM (M)	ARM (M)	SHOE (MM)					
R55W-7	32.499	5,110	0.18	2.84	1.60	-	Breaker Line	2,502	45,054	547	48,103
R140W-7	61.230	11,940	0.58	4.60	2.10	-	Breaker Line & Front Outriggers, Rear Dozer (STD)	4,715	71,007	7,211	82,933
R140W-7A	61.230	11,940	0.58	4.60	2.10	-		4,715	73,255	7,211	85,181
R170W-7	67.804	17,430	0.76	5.20	2.20	-		5,221	78,283	7,766	91,270
R170W-7A	67.804	17,430	0.76	5.20	2.20	-		5,221	80,532	7,766	93,519
R200W-7	80.792	20,050	0.80	5.65	2.90	-		6,221	95,652	2,299	104,172
R200W-7A	80.792	20,050	0.80	5.65	2.90	-		6,221	97,900	2,299	106,420
R140W-7	61.230	11,940	0.58	4.60	2.10	-	Breaker Line & Four Outriggers (4OR)	4,715	71,007	8,031	83,753
R140W-7A	61.230	11,940	0.58	4.60	2.10	-		4,715	73,255	8,031	86,001
R170W-7	67.804	17,430	0.76	5.20	2.20	-		5,221	78,283	8,306	91,810
R170W-7A	67.804	17,430	0.76	5.20	2.20	-		5,221	80,532	8,306	94,059
R200W-7	80.792	20,050	0.80	5.65	2.90	-		6,221	95,652	3,444	105,317
R200W-7A	80.792	20,050	0.80	5.65	2.90	-		6,221	97,900	3,444	107,565

3. WHEEL LOADER

MODEL	CBM	MAJOR SPECIFICATION					OPTION	OCEAN FREIGHT	FOB	OPTION PRICE	CFR B/A (USD)
		OPERATING WEIGHT(KG)	BUCKET (M3) (tooth) Heap	E/G (HP)	TYRE SIZE						
HL730-7	52.361	9,700	1.7	125	17.5-25 / 12PR L3		Korean tires	4,032	66,180	1,580	71,792
HL730-7A	52.361	9,700	1.7	125	17.5-25 / 12PR L3		Korean tires	4,032	68,678	1,580	74,290
HL730-7TM-7	53.256	9,900	1.5	125	17.5-25 / 12PR L3		Korean tires	4,101	70,298	1,580	75,979
HL730-7TM-7A	53.256	9,900	1.5	125	17.5-25 / 12PR L3		Korean tires	4,101	72,796	1,580	78,477
HL740-7	64.176	11,500	2.0	140	20.5-25 / 16PR L3		Korean tires	4,942	73,082	2,231	80,255
HL740-7A	64.176	11,500	2.0	140	20.5-25 / 16PR L3		Korean tires	4,942	75,580	2,231	82,753
HL740TM-7	62.763	12,050	1.9	140	20.5-25 / 16PR L3		Korean tires	4,833	76,838	2,231	83,902
HL740TM-7A	62.763	12,050	1.9	140	20.5-25 / 16PR L3		Korean tires	4,833	79,336	2,231	86,400
HL757-7	67.363	13,800	2.6	173	20.5-25 / 16PR L3		Korean tires	5,187	76,204	2,231	83,622
HL757-7A	67.363	13,800	2.6	173	20.5-25 / 16PR L3		Korean tires	5,187	77,431	2,231	84,849
HL760-7A	80.407	17,900	3.0	215	23.5-25 / 20PR L3		Korean tires	6,191	90,543	3,604	100,338
HL770-7A	95.028	22,800	3.9	280	26.5-25 / 20PR L3		Korean tires	7,317	109,964	3,797	121,078
HL770XTD-7A	100.146	23,850	3.9	280	26.5-25 / 20PR L3		Korean tires	7,711	113,844	3,797	125,352
HL780-7A	123.921	29,300	4.8	335	29.5-25 / 22PR L3		Korean tires	9,542	159,601	5,694	174,837
HL780XTD-7A	130.354	30,000	4.8	335	29.5-25 / 22PR L3		Korean tires	10,037	163,643	5,694	179,374

4. SKID STEER LOADER

MODEL	CBM	MAJOR SPECIFICATION				OPTION	OCEAN FREIGHT	FOB	OPTION PRICE	CFR B/A (USD)
		OPERATING WEIGHT(kg)	BUCKET(M3)	E/G (HP)	TIRE					
HSL650-7	9.735	2,625	0.31	44	10-16.5, 6PR		750	19,438		20,188
HSL850-7	13.144	3,290	0.37	68.0	12-16.5, 12PR		1,012	22,556		23,568

Name: K.S. Min

Title: Chairman

Hyundai Heavy Industries Co.

گمینه تبصره ۶ قانون خودرو
 شماره موراجله: ۴۰۰
 تاریخ: ۱۳۸۹، ۴، ۸